Subject Index for
Journal of Computer and System Sciences International
Volume 33, 1995

Absorption function: **3**, 44-53
Acceleration energy: **4**, 27-42
Active vehicular suspension systems: **3**, 7-15
Adaptive algorithm: **6**, 1-11
Adaptive optimal control: **1**, 140-149
Adaptive tracking system: **3**, 1-6
Affine algorithm: **6**, 58-66
Affine estimate: **6**, 58-66
Affine mapping: **6**, 58-66
Aircraft landing control: **6**, 146-154
Aligning observations with the map: **2**, 77-85
Analytical center: **6**, 12-21
Anchoring: **6**, 50-57
AND/OR-graph: **3**, 117-123
Approximational gradient: **5**, 49-56
Approximational stationary point: **5**, 49-56
Artificial intelligence: **2**, 148-158, 159-170
Artificial intelligence system: **4**, 98-105, 147-159
Artificial satellite: **2**, 33-42

Assembly line: **5**, 156-160
Atmospheric motion: **1**, 66-69
Attached coordinate system: **2**, 43-56
Automated production line: **2**, 143-147
Automatic control systems: **2**, 94-108
Auxiliary controls: **4**, 43-52
Auxiliary differential game: **5**, 99-109
Auxiliary linear quadratic equation: **6**, 140-145

Bayesian estimation algorithm: **6**, 1-11
Beam vibration: **3**, 65-71
Bellman function: **1**, 93-99, 100-104
Bellman-Isaacs equation: **6**, 118-127
Bernstein polynomial: **4**, 84-97
Binary indexing: **3**, 132-138
Binary nonlinear sequential machine: **2**, 137-142
Binary word: **4**, 16-26
Boolean determinant: **5**, 166-170
Boolean function: **2**, 137-142
Branching of asymptotic solution: **6**, 67-74
Bucy's canonical form: **4**, 53-59

CA suspension design: **3**, 7-15
CA suspension system: **3**, 7-15
Calibration function: **6**, 159-165
Characteristic polynomial: **3**, 157-160
Chebyshev center: **6**, 58-66
Chebyshev polynomial: **2**, 65-68
Chebyshev radius: **5**, 141-149
Climbing robot: **1**, 159-163

Clique: **2**, 77-85
Closeness function: **5**, 68-74
Coded symbolic expression: **6**, 155-158
Colored noise: **3**, 21-25
Compiler: **3**, 117-123
Complex drive: **1**, 159-163
Computer-aided design: **3**, 117-123
Computer-aided software engineering (CASE): **3**, 72-83
Conditionally Markovian system: **1**, 70-80
Conditionally optimal control: **6**, 85-94
Conflictingly controlled process: **6**, 159-165
Conjunctive equation: **5**, 166-170
Constrained control: **5**, 131-140
Container crane: **5**, 82-88
Contingent cone: **6**, 118-127
Continuous feedback: **5**, 64-67
Contour control algorithm: **1**, 150-158
Control duration: **5**, 20-24
Control system: **4**, 27-42
Convex-valued function: **6**, 159-165
Convolution: **3**, 132-138
Cortege algebra: **2**, 159-170
Countercontrol: **6**, 159-165
Cramer's rule: **5**, 166-170
Cutting plane: **6**, 12-21

Data control: **5**, 31-38
Database: **3**, 161-165
Dataflow machine: **2**, 148-158
Dataflow model: **2**, 148-158
Decision function: **6**, 95-103
Decision table: **2**, 15-21
Decision-support expert system: **2**, 15-21
Degree: **3**, 107-116
Degree of intelligence: **2**, 94-108
Dem'yanov subdifferential: **6**, 127-139
Dem'yanov superdifferential: **6**, 127-139
Dendriform network: **4**, 98-105
Diagnostics strategy: **4**, 123-134
Difference image: **4**, 106-114
Difference velocity: **5**, 99-109
Digital channel: **4**, 115-122
Direct ordering: **5**, 31-38
Directed graph: **3**, 166-170; **4**, 60-70
Discontinuous external problem: **6**, 30-38
Discontinuous solution: **6**, 118-127
Discrete automatic system: **1**, 164-170
Discrete transfer function: **3**, 139-143
Discrete-continuous observations: **6**, 22-29

Disjunctive equation: **5**, 166-170
Disjunctive normal form: **4**, 98-105
Distributed control: **6**, 104-117
Distributed control and computer networks: **4**, 115-122
Distributed intelligence: **4**, 160-169
Document base: **5**, 25-30
Dynamic equation: **1**, 88-92
Dynamic equilibria, risk function: **4**, 123-134
Dynamic filtering: **3**, 35-39
Dynamic knowledge: **2**, 1-7
Dynamic system: **4**, 27-42

Elastic line: **4**, 135-146
Equations of motion: **6**, 155-158
Equivalent control method: **6**, 22-29
Equivalent deterministic system: **4**, 71-75
Equivalent normal form: **4**, 98-105
Estimate of expenditures: **1**, 57-65
Estimation error: **3**, 21-25
Expert information: **4**, 76-83
Expert system: **2**, 1-7; **4**, 60-70; **5**, 150-155, 161-165
Extremal correlation navigation system: **6**, 50-57

False failure: **3**, 124-131
Finite-difference operator: **6**, 127-139
Flexible elements: **2**, 109-116
Flight characteristics: **1**, 48-56
Flight dynamics: **1**, 37-47
Flight mechanics: **1**, 66-69
Fokker-Planck-Kolmogorov equation: **1**, 37-47
Forming noise signals: **3**, 35-39
Fourier coefficients: **2**, 65-68
Fuzzy control system: **2**, 117-136
Fuzzy controller: **2**, 94-108
Fuzzy decision threshold: **4**, 115-122
Fuzzy estimate: **5**, 161-165
Fuzzy expert system: **2**, 117-136
Fuzzy logic: **4**, 60-70
Fuzzy neural network: **2**, 117-136
Fuzzy set: **4**, 76-83
Fuzzy variable: **4**, 71-75
FZUP-system: **2**, 117-136

Galois field: **2**, 137-142
Game problem: **6**, 159-165
Gauss-Markov theorem: **2**, 8-14
Gaussian approximation: **6**, 85-94
Generalized extremum: **6**, 30-38
Generalized Fokker-Planck-Kolmogorov system: **3**, 44-53
Generalized stationary point: **5**, 49-56; **6**, 30-38
Geostationary orbit: **1**, 48-56; **2**, 33-42
Glide path: **6**, 146-154
Globally optimal ellipsoid: **5**, 57-63
Group-service problem: **1**, 48-56

Guaranteed estimate: **1**, 26-36
Guided object: **5**, 68-74

h_+-operation: **5**, 116-122
h_+-solution: **5**, 116-122
Hamilton-Jacobi equation: **6**, 118-127
Hamilton-Jacobi-Bellman equation: **2**, 94-108
Hardy space: **1**, 164-170
Heat conduction: **6**, 104-117
Hierarchical-structure hypotheses: **4**, 170-176
High-precision calculations: **3**, 132-138
Horn's formulas: **2**, 1-7
Hurwitz matrix: **4**, 1-15
Hurwitz polynomial: **1**, 1-19
Hybrid controller: **3**, 65-71
Hypertext: **1**, 117-139
H^∞-optimality: **6**, 146-154

Identification subspace: **2**, 8-14
Identificational manifold: **3**, 1-6
Inactive plane: **6**, 12-21
Indirect adaptive control: **1**, 20-25
Inertia matrix: **1**, 88-92
Inertial navigation system: **4**, 84-97
Inertial range-finding control: **1**, 105-116
Inference machine: **3**, 117-123
Information matrix: **2**, 8-14
Information region: **5**, 42-48
Information structure: **1**, 57-65
Information system: **5**, 25-30
Information vector: **5**, 31-38
Informational set: **5**, 141-149
Informational throughput: **3**, 107-116
Input-output relationships: **4**, 53-59
Intelligent automatic control system: **2**, 117-136
Intelligent control: **5**, 150-155
Intelligent control system: **2**, 94-108
Intelligent system: **5**, 31-38
Intermediate states: **4**, 43-52
Inverse problems of dynamics: **4**, 43-52

Jacobi matrix: **2**, 137-142

Kalman filter: **4**, 84-97; **5**, 9-19
Kalman filter divergence: **5**, 9-19
Kalman-Bucy filter: **1**, 105-116
Karmarkar algorithm: **6**, 12-21
Konig graph: **4**, 60-70
Kotel'nikov series: **3**, 26-34
Krotov invariance condition: **1**, 81-87
Krotov optimality condition: **1**, 81-87
Krylov angle: **2**, 69-76

Learning system: **1**, 117-139
Least squares method: **2**, 8-14
Likelihood function: **4**, 170-176
Likelihood ratio: **4**, 170-176

Linear stationary discrete system: **1**, 164-170
Linearizing control: **5**, 82-88
Linguistic model: **4**, 115-122
Linguistic variables: **4**, 76-83
Local quadratic criterion: **6**, 85-94
Localization set: **6**, 12-21
Locally concave hull: **6**, 127-139
Locally convex hull: **6**, 127-139
Logarithmic frequency-response characteristic: **3**, 157-160
Logic variables: **4**, 98-105
Logical-linguistic description: **4**, 76-83
Low-order observer: **2**, 86-93

Manipulator robot: **2**, 109-116; **3**, 91-106
Map fragment: **2**, 77-85
Markov process: **2**, 57-64
Mathematical expectation: **3**, 166-170
Mathematical modeling: **1**, 66-69
Mathematical programming: **6**, 95-103
Matrix differential Riccati equation: **3**, 16-20
Maximum principle: **2**, 33-42; **5**, 57-63
Metadesign: **3**, 117-123
Metric coefficient: **3**, 91-106
Microburst: **6**, 146-154
Minimax control: **6**, 95-103
Minimax criterion: **1**, 164-170
Minimax filtering: **5**, 141-149
Minkowski function: **5**, 123-130
Mobile action: **6**, 104-117
Modular product: **2**, 77-85
Moment constraints: **6**, 95-103
Monic polynomial: **3**, 40-43
Monic rational function: **3**, 40-43
Moving patterns: **4**, 106-114
Multi-stage control: **1**, 57-65
Multilayer logic: **3**, 72-83
Multiprocessor computer system: **5**, 150-155
Multiuse resource system: **2**, 57-64

Navigation: **6**, 50-57
Navigation along geophysical fields: **6**, 50-57
Navigational error correction: **6**, 50-57
Navigational parameters: **2**, 77-85
Nominal vector: **5**, 99-109
Nonalgorithmic programming: **3**, 149-151
Nondifferentiable convex minimization: **6**, 12-21
Nonlinear high-dimensionality system: **3**, 35-39
Nonlinear stabilization system: **5**, 75-81
Nonlinear stochastic system: **6**, 85-94
Nonsmooth solution: **6**, 118-127

Object-oriented model: **5**, 25-30
Object-time model: **5**, 25-30
Observation function: **1**, 105-116
Optimal control: **1**, 57-65, 140-149; **2**, 33-42; **3**, 54-64; **5**, 64-67, 82-88
Optimal control of spacecraft landing: **2**, 43-56
Optimal controller: **2**, 22-32
Optimal detector: **4**, 106-114
Optimal estimator: **6**, 39-49
Optimal filtering: **3**, 21-25
Optimal guaranteed control: **6**, 127-139
Optimal speed of response: **5**, 42-48, 131-140
Optimal stabilizer: **6**, 39-49
Optimal stochastic control: **1**, 70-80
Optimal system: **1**, 164-170
Optimal vehicle behavior: **3**, 7-15, 7-15
Optimizing an observation process: **3**, 16-20
Orbital servicing: **1**, 48-56
Orthogonal transformation: **2**, 159-170

Parameter identification: **1**, 26-36
Parametric optimization: **2**, 109-116
Parametric uncertainty: **1**, 1-19
Partial differential equation: **6**, 118-127
Performance criterion: **2**, 143-147
Periodic elastic curve: **4**, 135-146
Perturbed control problem: **6**, 67-74
Perturbed differential equation: **6**, 75-84
Perturbed optimal control problem: **6**, 75-84
Phase trajectory: **2**, 22-32
PID-controller: **2**, 117-136
PiES WorkBench: **4**, 147-159
Pixel: **5**, 89-98
Planned preventive maintenance system: **3**, 124-131
Polyhedral set: **6**, 12-21
Polynomial: **6**, 155-158
Polytope: **1**, 1-19
Poorly informative measurements: **5**, 68-74
Positional control: **5**, 110-115
Positional differential game: **5**, 110-115; **6**, 118-127
Positional feedback: **6**, 39-49
Positional solution: **6**, 39-49
Possibilistic linear programming: **4**, 71-75
Predicate calculus: **2**, 159-170
Problem solver: **1**, 117-139
Problem-oriented computer: **5**, 150-155
Problem-solving methods: **3**, 149-151
Production system: **5**, 156-160
Products of control parameters and phase coordinates: **5**, 20-24
Program stabilizing control: **6**, 39-49
Project management: **4**, 147-159
Protocol switching system: **3**, 161-165
PUMA-560 manipulator: **3**, 91-106

Quadratic programming: **1**, 100-104
Quality criterion: **2**, 22-32

Radar-detected object: **4**, 170-176
Radio-electronic circuits: **3**, 117-123
Rank equalities: **3**, 21-25
Realizability into a graph reduction: **3**, 107-116

Recognition: **4**, 160-1697
Recurrent estimation: **1**, 20-25
Region of uncertainty: **5**, 42-48
Regularly perturbed problem: **6**, 75-84
Relative positions of reference: **2**, 77-85
Remote sounding: **5**, 89-98
Resolving function: **6**, 159-165
Restoration function: **3**, 44-53
Reverse polynomial: **3**, 139-143
Riemann space metric coefficient: **1**, 150-158
Riemannian space: **3**, 91-106
Roaming-tube algorithm: **1**, 100-104
Robbins-Monro procedure: **5**, 39-41
Robot: **1**, 105-116; **2**, 86-93
Robotic manipulator: **1**, 88-92, 150-158, 140-149
Robust control: **1**, 1-19; **6**, 146-154
Robust control system: **2**, 86-93
Robust precision control: **1**, 20-25
Robust stability: **1**, 1-19, 26-36
Rocket motion: **1**, 66-69
Route: **3**, 144-148
Routh algorithm: **4**, 1-15
Routh problem: **4**, 1-15

Scanning problem: **5**, 68-74
Scattering curve: **1**, 93-99
Self-organization processes: **4**, 16-26
Semantic relations: **1**, 117-139
Set of attainability: **3**, 54-64; **5**, 57-63
Shaping filter: **1**, 37-47
Shared access: **3**, 161-165
Shining points: **4**, 170-176
Simulation modeling: **5**, 156-160
Simulation models: **2**, 143-147
Single-service problem: **1**, 48-56
Singular motions: **3**, 152-156
Singularly perturbed problem: **6**, 75-84, 118-127
Situation-frame grid: **4**, 60-70
Slide equation: **6**, 22-29
Small-parameter method: **3**, 35-39; **6**, 75-84
Smart-structure vibration controllers: **3**, 65-71
Smooth segment mating: **4**, 135-146
Soft docking: **6**, 140-145
Software development: **3**, 72-83
Spacecraft: **1**, 48-56
Spatial motion emulation: **3**, 84-90
Speckled images: **5**, 89-98
Spectrum analyzer: **2**, 65-68
Speed of response: **5**, 42-48
Spline functions: **4**, 84-97
State-maintenance system: **3**, 124-131
Statistical analog of the Weierstrass theorem: **4**, 84-97
Stochastic approximation: **5**, 39-41
Stochastic demand: **2**, 57-64
Stochastic optimal control: **4**, 123-134
Structural complexity: **4**, 16-26
Student model: **1**, 117-139
Subdifferential: **6**, 118-127
Suboptimal control: **3**, 26-34
Suboptimal detector: **4**, 106-114
Substitution method: **6**, 104-117
Superdifferential: **6**, 118-127
Supergraph: **6**, 12-21, 118-127, 127-139
Supermodular function: **3**, 166-170
Supertransitive matrices: **5**, 161-165
Support function: **1**, 1-19; **3**, 54-64
Switching line: **1**, 93-99
Switching network: **3**, 107-116
Switching point: **1**, 93-99
Switching surface: **5**, 1-8
Symbolic dynamics: **4**, 16-26
System of rigid bodies: **6**, 155-158

Teaching programs: **1**, 117-139
Temperature distribution: **5**, 64-67; **6**, 104-117
Temporal event-ordering formulas: **2**, 1-7
Terminal functional: **3**, 54-64
Termination condition: **5**, 123-130
Test bench: **3**, 84-90
Thermal equilibrium: **5**, 64-67
Tolerance: **3**, 124-131
Trajectory funnel: **5**, 116-122
Trajectory of robot motion: **4**, 135-146
Transfer zeros: **3**, 21-25
Transition trajectory: **6**, 104-117
Traveling-salesman problem: **3**, 144-148
Trigonometric sum: **6**, 155-158

Uncertainty: **4**, 123-134
Undetected failure: **3**, 124-131
Uniformly optimal strategy: **4**, 123-134

Vector Lyapunov functions: **5**, 75-81
Viable trajectory: **5**, 116-122
Vibrational solution: **6**, 22-29
Viscosity solution: **6**, 118-127, 127-139

Wald's fuzzy sequential procedure: **4**, 115-122
Weak solution: **5**, 110-115
Weakly invariant solution: **6**, 118-127
Weighted projection: **6**, 12-21
Wind shear: **6**, 146-154
WorkBench systems: **4**, 147-159